

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/2/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Powder Detergent, Ensueño Clean and Fresh

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Laundry detergent

1.3. Supplier

www.alenusa.com

AIEn USA Suite 500 14825 Northwest Freeway Houston, USA, Texas 77040 USA T 1-800-615-3191

1.4. Emergency telephone number

Emergency number : U.S: 800.424.9300 – 24 Hrs.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (inhalation:dust,mist) Category 4 H332 Harmful if inhaled Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation

Skin sensitization, Category 1 H317 May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation H332 - Harmful if inhaled

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

9/2/2024 (Issue date) US - en 1/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
sodium sulfate, anhydrous	CAS-No.: 7757-82-6	45 - 65
sodium silicate	CAS-No.: 1344-09-8	10 - 20
sodium dodecylbenzenesulfonate	CAS-No.: 25155-30-0	6 - 10
Sodium carbonate	CAS-No.: 497-19-8	4 - 12

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Mild eye irritation.

9/2/2024 (Issue date) US - en 2/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin

and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

9/2/2024 (Issue date) US - en 3/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White granular powder.

Color : White Odor : Fresh

Odor threshold : No data available

pH : 10 – 12

Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) Non flammable. Vapor pressure No data available Relative vapor density at 20°C No data available Relative density : No data available : 0.45 - 0.5 g/ml Density Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available

9/2/2024 (Issue date) US - en 4/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature : Not applicable
Decomposition temperature : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosion limits : Not applicable
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

Powder Detergent, Ensueño Clean and Fresh	
ATE US (dust, mist)	1.374 mg/l/4h
sodium sulfate, anhydrous (7757-82-6)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 15 day(s))
LD50 oral	≈ 5989 mg/kg body weight Animal: mouse
LC50 Inhalation - Rat	> 2.4 mg/l air (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium sulfate, anhydrous (7757-82-6)			
ATE US (gases)	4500 ppmV/4h		
ATE US (vapors)	11 mg/l/4h		
ATE US (dust, mist)	1.5 mg/l/4h		
sodium dodecylbenzenesulfonate (25155-30-0	0)		
LD50 oral rat	1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))		
LC50 Inhalation - Rat	0.31 mg/l (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))		
ATE US (oral)	1080 mg/kg body weight		
ATE US (vapors)	0.31 mg/l/4h		
ATE US (dust, mist)	0.31 mg/l/4h		
Sodium carbonate (497-19-8)			
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value of similar product, Hydrate form, Oral, 14 day(s))		
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value of similar product, Hydrate form, Dermal, 14 day(s))		
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l Source: SIDS		
ATE US (oral)	2800 mg/kg body weight		
ATE US (dust, mist)	1.2 mg/l/4h		
sodium silicate (1344-09-8)			
LD50 oral rat	> 2000 mg/kg (Rat, Oral)		
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)		
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)		
	Causes skin irritation. pH: 10 – 12		
sodium sulfate, anhydrous (7757-82-6)			
рН	5.2 – 8 (5 %, 20 °C)		
sodium dodecylbenzenesulfonate (25155-30-0	sodium dodecylbenzenesulfonate (25155-30-0)		
рН	7 – 10.5 (0.1 %, 25 °C, EPA OPPTS 830.7000: pH)		
Sodium carbonate (497-19-8)			
рН	11.6 (1 mol/l)		
sodium silicate (1344-09-8)			
рН	12.8		
	Causes eye irritation. pH: 10 – 12		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium sulfate, anhydrous (7757-82-6)		
PH	5.2 – 8 (5 %, 20 °C)	
sodium dodecylbenzenesulfonate (25155-30-0)		
рН	7 – 10.5 (0.1 %, 25 °C, EPA OPPTS 830.7000: pH)	
Sodium carbonate (497-19-8)		
рН	11.6 (1 mol/l)	
sodium silicate (1344-09-8)		
рН	12.8	
Respiratory or skin sensitization :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
sodium silicate (1344-09-8)		
NOAEL (animal/female, F0/P)	> 159 mg/kg body weight Animal: rat, Animal sex: female	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified.	
sodium dodecylbenzenesulfonate (25155-30-	0)	
LOAEL (oral,rat,90 days)	200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
LOAEL (dermal,rat/rabbit,90 days)	286 mg/kg body weight Animal: rat, Animal sex: male	
NOAEL (oral,rat,90 days)	100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (dermal,rat/rabbit,90 days)	< 286 mg/kg body weight Animal: rat, Animal sex: male	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
	Not classified Not applicable	
sodium sulfate, anhydrous (7757-82-6)		
Viscosity, kinematic	Not applicable (solid)	
sodium dodecylbenzenesulfonate (25155-30-	0)	
Viscosity, kinematic	No data available in the literature	
Sodium carbonate (497-19-8)		
Viscosity, kinematic	Not applicable (solid)	
	Irritation. May cause an allergic skin reaction. Mild eye irritation.	

SECTION 12: Ecological information

40		_		4.2
	7	. To	VIC	147
12			AIG	ш

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

9/2/2024 (Issue date) US - en 7/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium sulfate, anhydrous (7757-82-6)		
LC50 - Fish [1]	7960 mg/l (EPA 600/4-90/027, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	≈ 3150.21 mg/l Test organisms (species): Ceriodaphnia dubia	
LC50 - Fish [2]	≈ 7960 mg/l Test organisms (species): Pimephales promelas	
sodium dodecylbenzenesulfonate (25155-30-0	0)	
LC50 - Fish [1]	3.2 – 5.6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Daily renewal, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	6.3 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Lethal)	
EC50 72h - Algae [1]	65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)	
EC50 72h - Algae [2]	21 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
Sodium carbonate (497-19-8)		
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value, Locomotor effect)	
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.	
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX	
sodium silicate (1344-09-8)		
LC50 - Fish [1]	3185 mg/l (96 h, Brachydanio rerio, Not neutralized)	
EC50 - Crustacea [1]	216 mg/l (96 h, Daphnia magna)	
EC50 - Crustacea [2]	160 mg/l (96 h, Amphipoda)	
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	> 345.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

12.2. Persistence and degradability

sodium sulfate, anhydrous (7757-82-6)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
sodium dodecylbenzenesulfonate (25155-30-0)		
Persistence and degradability	Readily biodegradable in water.	
Sodium carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium carbonate (497-19-8)		
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
sodium silicate (1344-09-8)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

12.3. Bioaccumulative potential

sodium sulfate, anhydrous (7757-82-6)		
Partition coefficient n-octanol/water (Log Pow)	-3 Source: OECD Screening Information Data Set	
Bioaccumulative potential	Not bioaccumulative.	
sodium dodecylbenzenesulfonate (25155-30-0)		
BCF - Fish [1]	130 l/kg (Equivalent or similar to OECD 305, 3 day(s), Leuciscus idus, Semi-static system, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Sodium carbonate (497-19-8)		
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation	
Bioaccumulative potential	Not bioaccumulative.	
sodium silicate (1344-09-8)		
Bioaccumulative potential No test data of component(s) available.		

12.4. Mobility in soil

sodium sulfate, anhydrous (7757-82-6)		
Surface tension	71 mN/m (20 °C, 1.005 g/l, EU Method A.5: Surface tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
sodium dodecylbenzenesulfonate (25155-30-0)		
Surface tension	29.3 – 31.8 mN/m (25 °C, 0.012 %)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.96 (log Koc, Calculated value)	
Ecology - soil	Low potential for mobility in soil.	
Sodium carbonate (497-19-8)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for adsorption in soil.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium si	licate ((1344-09-8)	

Ecology - soil No (test)data on mobility of the component(s) available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (TDG) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated Packing group (TDG) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

Not regulated

TDG

Not regulated

9/2/2024 (Issue date) US - en 10/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

sodium dodecylbenzenesulfonate (25155-30-0)

CERCLA RQ

1000 lb

15.2. International regulations

CANADA

sodium sulfate, anhydrous (7757-82-6)

Listed on the Canadian DSL (Domestic Substances List)

sodium dodecylbenzenesulfonate (25155-30-0)

Listed on the Canadian DSL (Domestic Substances List)

Sodium carbonate (497-19-8)

Listed on the Canadian DSL (Domestic Substances List)

sodium silicate (1344-09-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

sodium sulfate, anhydrous (7757-82-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

sodium dodecylbenzenesulfonate (25155-30-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

9/2/2024 (Issue date) US - en 11/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium carbonate (497-19-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
sodium sulfate, anhydrous(7757-82-6)	U.S Massachusetts - Right To Know List
sodium dodecylbenzenesulfonate(25155-30-0)	U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H332	Harmful if inhaled

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

9/2/2024 (Issue date) US - en 12/12